

Appl. No. 10/005,299  
Amdt. Dated January 21, 2009  
Reply to Office Action of October 21, 2008

RECEIVED  
CENTRAL FAX CENTER  
JAN 21 2009

45. (original) The method of claim 44, further comprising incorporating the combination into a disposable absorbent product.

46. (original) The method of claim 44, further comprising selling a disposable absorbent product incorporating the combination.

47. (withdrawn) An absorbent composition comprising:  
a superabsorbent material having an exothermic heat of hydration; and  
a means for adapting the absorbent composition such that the absorbent composition has a net cooling effect in at least a portion of the composition while absorbing aqueous liquid, wherein the absorbent composition exhibits an absorbent capacity of at least 10 grams of 0.9 wt% NaCl saline per gram of the absorbent composition.

48-52 (canceled)

53. (withdrawn) An endothermic absorbent composition comprising:  
a superabsorbent material; and  
a cooling compound, wherein the endothermic absorbent composition is adapted to provide a cooling effect in at least a portion of the composition while absorbing aqueous liquid.

54. (withdrawn) The composition of claim 53, wherein the superabsorbent material is acidic, and wherein the cooling compound is a basic compound capable of neutralizing the acidic superabsorbent material.

55. (withdrawn) The composition of claim 54, wherein the superabsorbent material has a pH ranging from 1 to 6.5, and wherein the absorbent has a pH ranging from 4 to 6.5.

Appl. No. 10/005,299  
Amdt. Dated January 21, 2009  
Reply to Office Action of October 21, 2008

**RECEIVED  
CENTRAL FAX CENTER**

**JAN 21 2009**

56. (withdrawn) The composition of claim 53, wherein the absorbent material is basic, and wherein the cooling compound is an acidic compound capable of neutralizing the basic absorbent material.

57. (withdrawn) The composition of claim 56, wherein the absorbent material has a pH ranging from 7.5 to 13, and wherein the absorbent has a pH ranging from 4 to 6.5.

58. (withdrawn) The composition of claim 53, wherein the absorbent material has a pH ranging from 6 to 7.5, and wherein the absorbent composition has a pH ranging from 4 to 6.5.

59. (withdrawn) The composition of claim 53, wherein the absorbent composition has a pH ranging from 3 to 8.

60. (withdrawn) The composition of claim 53, wherein the absorbent composition has a pH ranging from 4 to 7.

61. (withdrawn) The composition of claim 53, wherein the absorbent composition exhibits an absorbent capacity of at least 70 percent of the absorbent capacity of the absorbent material.

62. (withdrawn) The composition of claim 53, wherein the absorbent composition exhibits an absorbent capacity of at least 90 percent of the absorbent capacity of the absorbent material.

63. (withdrawn) The composition of claim 53, wherein the absorbent composition exhibits an absorbent capacity at least equal to the absorbent capacity of the absorbent material.

Appl. No. 10/005,299

Amdt. Dated January 21, 2009

Reply to Office Action of October 21, 2008

64. (withdrawn) The composition of claim 53, wherein the cooling compound is chosen from the group consisting of: potassium chloride, sodium acetate trihydrate, ammonium nitrate, ammonium chloride, ammonium iodate, tetramethylammonium iodide, lithium perchlorate trihydrate, sodium cyanide dihydrate, sodium cyanate, potassium perchlorate, potassium nitrate, potassium iodide, potassium iodate, potassium permanganate, rubidium nitrate, rubidium iodide, cesium iodide, cesium chloride, cesium bromide, cesium perchlorate, cesium nitrate.

65. (withdrawn) The composition of claim 53, wherein the cooling compound has an endothermic effect greater than 10 kJ/mol.

66. (withdrawn) The composition of claim 53, wherein the cooling compound has an endothermic effect greater than 15 kJ/mol.

67. (withdrawn) The composition of claim 53, wherein the cooling compound has an endothermic effect greater than 20 kJ/mol.

68. (withdrawn) An absorbent composition comprising:  
a superabsorbent material having an exothermic heat of hydration; and  
a cooling compound having an endothermic effect, wherein the absorbent composition is adapted to provide a cooling effect in at least a portion of the composition while absorbing aqueous liquid.

69. (withdrawn) The composition of claim 68, wherein the superabsorbent material is acidic, and wherein the cooling compound is a basic compound capable of neutralizing the acidic superabsorbent material.

70. (withdrawn) The composition of claim 69, wherein the superabsorbent material has a pH ranging from 1 to 6.5, and wherein the absorbent has a pH ranging from 4 to 6.5.

Appl. No. 10/005,299

Amdt. Dated January 21, 2009

Reply to Office Action of October 21, 2008

71. (withdrawn) The composition of claim 68, wherein the absorbent material is basic, and wherein the cooling compound is an acidic compound capable of neutralizing the basic absorbent material.

72. (withdrawn) The composition of claim 71, wherein the absorbent material has a pH ranging from 7.5 to 13, and wherein the absorbent has a pH ranging from 4 to 6.5.

73. (withdrawn) The composition of claim 68, wherein the absorbent material has a pH ranging from 6 to 7.5, and wherein the absorbent composition has a pH ranging from 4 to 6.5.

74. (withdrawn) The composition of claim 68, wherein the absorbent composition has a pH ranging from 3 to 8.

75. (withdrawn) The composition of claim 68, wherein the absorbent composition has a pH ranging from 4 to 7.

76. (withdrawn) The composition of claim 68, wherein the absorbent composition exhibits an absorbent capacity of at least 70 percent of the absorbent capacity of the absorbent material.

77. (withdrawn) The composition of claim 68, wherein the absorbent composition exhibits an absorbent capacity of at least 90 percent of the absorbent capacity of the absorbent material.

78. (withdrawn) The composition of claim 68, wherein the absorbent composition exhibits an absorbent capacity at least equal to the absorbent capacity of the absorbent material.

Appl. No. 10/005,299  
Amdt. Dated January 21, 2009  
Reply to Office Action of October 21, 2008

79. (withdrawn) The composition of claim 68, wherein the cooling compound is chosen from the group consisting of: potassium chloride, sodium acetate trihydrate, ammonium nitrate, ammonium chloride, ammonium iodate, tetramethylammonium iodide, lithium perchlorate trihydrate, sodium cyanide dihydrate, sodium cyanate, potassium perchlorate, potassium nitrate, potassium iodide, potassium iodate, potassium permanganate, rubidium nitrate, rubidium iodide, cesium iodide, cesium chloride, cesium bromide, cesium perchlorate, cesium nitrate.

80. (withdrawn) The composition of claim 68, wherein the cooling compound has an endothermic effect greater than 10 kJ/mol.

81. (withdrawn) The composition of claim 68, wherein the cooling compound has an endothermic effect greater than 15 kJ/mol.

82. (withdrawn) The composition of claim 68, wherein the cooling compound has an endothermic effect greater than 20 kJ/mol.

83. (original) An absorbent composition comprising:  
a superabsorbent material; and  
a sufficient amount of cooling compound such that the absorbent composition is adapted to provide a cooling effect in at least a portion of the composition while absorbing aqueous liquid.

84. (original) The composition of claim 83, wherein the superabsorbent material is acidic, and wherein the cooling compound is a basic compound capable of neutralizing the acidic superabsorbent material.

85. (original) The composition of claim 84, wherein the superabsorbent material has a pH ranging from 1 to 6.5, and wherein the absorbent has a pH ranging from 4 to 6.5.

Appl. No. 10/005,299  
Amdt. Dated January 21, 2009  
Reply to Office Action of October 21, 2008

86. (withdrawn) The composition of claim 83, wherein the absorbent material is basic, and wherein the cooling compound is an acidic compound capable of neutralizing the basic absorbent material.

87. (withdrawn) The composition of claim 86, wherein the absorbent material has a pH ranging from 7.5 to 13, and wherein the absorbent has a pH ranging from 4 to 6.5.

88. (original) The composition of claim 83, wherein the absorbent material has a pH ranging from 6 to 7.5, and wherein the absorbent composition has a pH ranging from 4 to 6.5.

89. (original) The composition of claim 83, wherein the absorbent composition has a pH ranging from 3 to 8.

90. (original) The composition of claim 83, wherein the absorbent composition has a pH ranging from 4 to 7.

91. (original) The composition of claim 83, wherein the absorbent composition exhibits an absorbent capacity of at least 70 percent of the absorbent capacity of the absorbent material.

92. (original) The composition of claim 83, wherein the absorbent composition exhibits an absorbent capacity of at least 90 percent of the absorbent capacity of the absorbent material.

93. (original) The composition of claim 83, wherein the absorbent composition exhibits an absorbent capacity at least equal to the absorbent capacity of the absorbent material.

Appl. No. 10/005,299

Amdt. Dated January 21, 2009

Reply to Office Action of October 21, 2008

94. (original) The composition of claim 83, wherein the cooling compound is chosen from the group consisting of: potassium chloride, sodium acetate trihydrate, ammonium nitrate, ammonium chloride, ammonium iodate, tetramethylammonium iodide, lithium perchlorate trihydrate, sodium cyanide dihydrate, sodium cyanate, potassium perchlorate, potassium nitrate, potassium iodide, potassium iodate, potassium permanganate, rubidium nitrate, rubidium iodide, cesium iodide, cesium chloride, cesium bromide, cesium perchlorate, cesium nitrate.

95. (original) The composition of claim 83, wherein the cooling compound has an endothermic effect greater than 10 kJ/mol.

96. (original) The composition of claim 83, wherein the cooling compound has an endothermic effect greater than 15 kJ/mol.

97. (original) The composition of claim 83, wherein the cooling compound has an endothermic effect greater than 20 kJ/mol.